

Index seminum in Horto Botanico neapolitano 1840 collectorum.

A

A
Abies nigra
Acacia acanthocarpa
decussata Ten.
farnesiana
filicina
*var. *hirsutiss.**
glaucescens
glomerata
horrida
Julibrisin
leucocephala
lophanta
coarctata
melanoxylon
riparia
stricta
violacea
Acalypha alopecuroides
Acaena ascendens
Achania mollis
Acanthus mollis
spinosus
Acer austriacum
dasyarpum
ibericum
Lobelij. Ten.
neapolitanum Ten.
oblongum
opulifolium
pensylvanicum
platanoides
Pseudo-platanus
tataricum
Achillea Ageratum
albicanlis
asplenifolia
biserrata
distans
Filipendulina
Impatiens
ligustica
lingulata
magna
Millefolium
*fl. *carneo**
*fl. *roseo**
nobilis
ochroleuca
Ptarmica
pubescens
scabra
setacea
sibirica
speciosa
sylvatica Ten.
Achyranthes aspera
Acinos graveolens
Aconitum cernuum
montanum
Napellus

A
Aconitum Ottonianum
vulgare
vulparia
Acorus gramineus
Aegylops cylindrica
ovata
Agave americana
Ageratum corymbosum
Agrimonia odorata
Agrostis
argentea
frondosa Ten.
picta
tenacissima
verticillata
Ailanthus glandulosa
Aira juncea
media
Ajuga alpina
repans
Albuca altissima
fastigiata
major
Alchemilla pubescens
vulgaris
Allium Ampeloprasum
atropurpureum
ciliatum Cyr.
Cyrilli Ten.
danubiale
descendens
foliosum
fragrans
magicum
Moly
neapolitanum Cyr.
Porrum
pusillum
rupestre
sativum
Scorodoprasum
strictum
suaveolens
tataricum
violaceum
Alnus cordifolia Ten.
Aloe aspera
attenuata
carinata
fasciata
granata
intermedia
Lingua angustif.
pulchra
Radula
rigida
spiralis
tortuosa
umbellata

A

A
Alternanthera sessilis
Althaea armeniaca Ten.
cannabina
ficifolia
Frolowii
officinalis
rosea
Sieberi
sinensis
silvestris Brig.
Alyssum alpestre
ambiguum
campestre
maritimum
micranthum
montanum
orientale
saxatile
vesicaroides
Amaranthus adscendens
chlorostachys
crassipes
frumentaceus
retroflexus
spinulosus
sylvestris
Ambrosia trifida
Amaryllis Atamasco
calyptrata
maritima
Ammannia diffusa IV.
verticillata
Ammi majus
Amorpha fruticosa
Ludwisi
Ampherephis intermedia
Amsonia salicifolia
Amyris polygama
terebinthifolia Ten.
Anagallis phoenicea
Anagyris foetida
neapolitana Ten.
Anastatica hierochuntica
Anchusa angustifolia
azurea
Barrelieri
hybrida Ten.
ochroleuca
officinalis
Andropogon Allionii
contortus
Grillus
hirtus
Ischaemum
laguroides
Androsace maxima var.
grandiflora
Anemone alba
canadensis
coronaria

A

A
Anemone dichotoma
hortensis
pavonina
Pulsatilla
virginiana
Anethum
glaucum
piperatum
segetum
Angelica nemorosa Ten.
pratensis
pyrenaica
sylvestris
verticillaris
Anomatheca cruenta
Annona tripetala
Anthemis altissima
Cota
incrassata
maritima
nobilis
psorosperma Ten.
suffruticosa
Anthericum Liliago
ramosum
Antholyza aethiopica
bicolor Gasp.
Anthyllis Barba-Jovis
Antirrhinum bimacula-
tum
majus
purpureum
tortuosum
Apargia caucasica
crispa
var. glabrata
hastilis
hispida
var. glabrata
pontana
Rosani Ten.
saxatilis Ten.
Villarsii
Apium fractophyllum
Aquilegia atrata
atropurpurea
bicolor
elata
hybrida
viscosa
vulgaris fl. alb. pl.
Arabis bellidifolia
collina Ten. var. ros.
sagittata
Aralia spinosa
Arbutus Andachne
Unedo
Arctotis calendulacea
rosea
Ardisia crenulata

A

A
Ardisia litoralis
solanacea
Arenaria procumbens
Aristolochia Clematitis
Serpentaria
Armeria dianthoidea
maritima
plantaginea
scorzonerafolia
Arnoglossum Dalechampii
Artemisia Absinthium
arborescens
biennis
campestris
var. glutinosa
canforata
Columnae Ten.
desertorum
Sieversiana
variabilis Ten.
vulgaris
Arum Dracunculus
italicum
maculatum
virginicum
Arundo collina Ten.
Donax
festucoides
mauritanica
fol. varieg.
speciosa
Asarum europaeum
Asclepias curassavica
fruticosa
fuscata
nivea
purpurascens
Vincetoxicum
Asiminia triloba
Asparagus officinalis
tenuifolius
verticillaris
Asperula hirta
Asphodelus aestivus
creticus
fistulosus
Asperella hystrix
Aster acris
Amellus
amoenus
amygdalinus
argophyllus
fastigiatus
firmus
floribundus
glaber
hyssopifolius
incisus
lanceolatus
fl. albo

Aster leucanthemus	Bletia verecunda
Novae Angliae	Boerhavia scandens
Novi Belgii	Boisduvalia Douglasii
salicifolius	Boltonia glastifolia
salignus	Borago indica
simplex	Borkhausia alpina
Astragalus aristatus	Decandolii
brachyceras	graveolens
galegiformis	juvenalis
glycyphyllos	rubra
glycyphylloides	Borreria capitellata
hamosus	Brassica
juvenalis	bracteolata
Pseudo-cicer	Cheiranthus
virescens	incana Ten.
Athamantha daucifolia	macrocarpa Guss.
Oreoselinum	oleifera
sibirica	oleracea
Atriplex alba	var. arborea
difusa Ten.	semperfiriens
hortensis	sinensis
nitens	sabulosa
polysperma Ten.	Brexia spinosa
Avena dubia	Briza elatior
duriuscula	geniculata
elatior	maxima
spicata	minor

B

Babiana villosa	Baccharis adnata
var. rubra	Dioscoridis
Ballota nigra	ivaefolia
Balnedia corylifolia	Ballota nigra
Balsamita ageratifolia	Bryonia dioica
Banisteria argentea	Bubon gummiferum
chrysanthia	Buddleja connata
Barbara iberica	globosa
praecox	madagascariensis
taurica	salicifolia
Barleria cristata	salviifolia
flava	Bulbine frutescens
Belis jaculifolia Salisb.	Bunias balearica
Bellis hybrida Ten.	Buphthalmum helianthoides
Berberis emarginata	maritimum
iberica	salicifolium
vulgaris	Bupleurum coriaceum
Berteroa mutabilis	frutescens
obliqua	longifolium
Beta macrocarpa Guss.	Odontites
minima	trifidum Ten.
orientalis	
vulgaris	
Betonica hirsuta	Cacalia articulata
stricta	Cachrys pungens
Betula alba	sicula
daurica	triquetra
populifolia	Cactus amicleus Ten.
Beurrieria cestroides	mammillaris sp. rub.
Bidens grandiflora	pendulus
multifida	Pseudo-Tuna
leucantha	stellatus
Biscutella laevigata	
raphanifolia	

C

Cactus Tuna	Capsicum grossum fructu rubro
Cajanus bicolor	fructu luteo
Caladium macrorrhizone	fructu depresso
Calamagrostis Epigejos	luteo
Calamintha dilatata	rubro
umbrosa	
Calendula asterias	teretiusculum
cristata	torulosum
decurrans	Cardamine flaccida
incana	Cardiospermum Halicabum
maritima Guss.	microcarpum
officinalis	Carduus arabicus
spathulata	marianus
stellata	spinulosus Bertol.
suffruticosa	tenuiflorus
tomentosa	Carex arguta
Callicarpa americana	divulsa
cana	extensa
Callicephalus nitens	fusca
Colliopsis bicolor	gynobasis
var. Attkinsonii	hordeiformis
var. Drumondii	lagopodioides
Callithris rhomboidea	maxima
Calothamnus quadrifida	Carlina corymbosa
Calythrix glabra	sicula
Campanula aggregata	Carthamus coeruleus
corymbosa	creticus
divergens	rigidus
glabriarpa	Carum Carvi
lilifolia	Cassia Barrenfieldii
macrantha	Chamae-crista
Medium	chinensis
peregrina	corymbosa
ruthenica	discolor
sarmatica	nepalensis
Trachelium	occidentalis
Canna chinensis	purpurea
coccinea	torosa
var. speciosa	Casuarina stricta
flaccida	Caucalis
flavescentia	daucoides
glauca	grandiflora
lanceolata	heterophylla
limbata	nodosa
lutea	purpurea
orientalis	Ceanothus americanus
patens	Celosia argentea
Selloi	cristata
sinensis	Celtis australis
Capparis rupestris	cordata
Capsicum angulosum	grandidentata
maximum	Centaurea apula
annuum minus	atropurpurea
majus	aurea
cerasiforme minus	calcitrapa
majus fructu dulci	calocephala
cordiforme	Centaurium
fructu conico minus	centauroides
minus	coriacea
medium	Crocodylum
majus	Cyanus
fructu dulci majus	dissecta Ten.
conoides	fuscata
fructu dulci maximo	iberica
frutescens	Isnardi
	italica

C

Centaurea moschata
ruthenica
salmantica
sonchifolia
sphaerocephala
spinulosa
splendens
tenella
Cerastium argenteum
arvense
multiflorum
Scarani Ten.
tetrandrum
Ceratochloa pendula
Cercis Siliquastrum
Cercodia erecta
Cerinthe auriculata Ten.
maculata
Cestrum foetidissimum
nocturnum
Parqui
Chaerophyllum aromaticum
calabrum
nodosum
siculum
Cheiranthus Bocconi
Chelone atropurpurea
barbata
hirsuta
Chenopodium ambrosioides
anthelminticum
bonariense Ten.
multifidum
polyspermum
Quinoa
Scoparia
Chimonanthus fragrans
Chironia Centaurium
Chloris compressa
curtipendula
distichophylla
fimbriata
mexicana
submutica
Chondrilla juncea
Chrysanthemum Achilleae
Broussonetii
Roxburghii
ceratophyllum
coronarium alb.
Int.
disciforme Fisch.
leucanthemum
maximum
praecox
sericeum
Chrysocoma Comaurea
Chrysophyllum monopyrenum
Cicer arietinum
nigrum
Cichorium Intybus
Cineraria cordifolia
gibbosa Guss.
maritima

G

Cineraria	Petasites
Cirsium	acule
ambiguum	
italicum	
lanceolatum	
strictum	Ten.
syriacum	
Cissus	acida
Cistus	albidus
garganicus	Ten.
hirsutus	
incanus	
heterophyllum	
ladaniferus	
lanuginosus	
Latifolius	
Iaxus	
longifolius	
monspeliensis	
purpureus	
roseus	
salvisolius	
	minor
symphitifolius	
undulatus	
villosus	
Citharexylum	pentan-
	drum
Citrus	delicosa
Clarkia	gauroides
Clematis	angustifolia
flammula	
orientalis	
Vitalba	
Cleome	rubescens
Clerodendron	heter-
	phyllum
Cneorum	tricoccum
Cobaea	scandens
Coccocloba	laurifolia
rugosa	
Cochlearia	glastifolia
officinalis	
Coffea	arabica
Coix	Lachryma
Colchicum	autumnale
Bivonae	Guss.
Cupani	Guss.
neapolitanum	Ten.
Colutea	arborescens
media	
Pocockii	
Conium	maculatum
Convallaria	majalis.
Convolvulus	Berardi
ciliatus	
curassavicus	
glaucofolius	
heterophyllum	
Imperati	
linifolius	
lucanus	Ten.
mutabilis	
purpureus	
siculus	
solanifolius	
sylvaticus	

C

Convolvulus	variegatus
	verrucipes Ten. (2).
Cornus	sanguinea
Crucianella	angustifolia
	maritima
Conyzza	chilensis
	glutinosa
Corchorus	aestuans
Cordia	bullata
Coreopsis	foeniculacea
	pensylvanica
Corianarium	melaphitense
	Ten. et Guss.
	sativum
Cornus	mascula
	sanguinea
	sericea
Cornutia	pyramidata
Coronilla	Emerus
	valentina
Corylus	Avellana
	rostrata
Cotoneaster	laxiflora
Cotyledon	coccinea
	orbiculata
	Umbilicus
Crassula	cultrata
	falcata
	lactea
	perfoliata
	perforata
Crepis	cernua
	Ten.
	coronopifolia
	parviflora
	pulchra
	taraxacifolia
Crithmum	maritimum
Crocus	
	Imperati
	Ten.
	longiflorus
	pusillus
	Ten.
	fl. coerule.
	(Haworthii hort.)
	suaveolens Bertol.
	vernus
	neapolitanus
Crotalaria	canescens
Crucianella	patula
	stylosa
Cucumis	africanus
	campechanus Kunth.
	colocynthoides
Dudaim	
Cucurbita	Farinae
	Ten.
	maxima
	pyriformis
	stellata
Cuminum	Cyminum
Cuphea	viscosissima
Cypressus	nucifera
	pendula
	sempervirens
Cynara	Cardunculus
	horrida
	spinosissima
Cynoglossum	apenninum
	Haenckii

C

Cynoglossum	pictum
	velutinum
Cyperus	alternifolius
	badius
	flavescens
Monti	
Paramatta	
	pictus Ten.
	pungens
	rotundus
Tenorii	Spr.
	tenuiflorus
	vegetus
	xanthocomus
Cytisus	elongatus
	falcatus
Laurenum	
	pungens
	ramosissimus
scoparius	
	triflorus

D

Dactylis	glaucescens
	glomerata
Daphne	Gnidium
Datura	hybrida
	Ten.
	quercifolia
Tatula	
Daucus	Gingidium
	gummifer
	hispanicus
	lucidus
	maximus
	pulcherrimus
	siculus
Deeringia	celosioides
Delphinium	Ajacis fl. pl.
	grandiflorum
	intermedium
	junceum
	velutinum
Desmanthus	depressus
	virgatus
Dianthus	arenarius
	Arrostii
	Balbisii
	barbatus
	campestris
	caucasicus
	chinensis
	ciliatus Guss.
	diutinus
	fragrans
	Lebanotis
	marsicus Ten.
	moschatus
	plumarius
	prolifer
	squarrosum
	vultur us Gus. et Ten.
Diasia	graminifolia
Dicliptera	peruviana
Digitalis	purpurea
Dineba	aegyptiaca
Diospyros	Kaki

D

Diospyros	virginiana
Diplopappus	incanus
Diplotaxis	apula
Dipsacus	ferox
Dodecatheon	Meadia
Dodonaea	viscosa
Dolichos	angustissimus
	chinensis
Lathyrus	
	lignosus
	melanophthalmus
	var. honturiensis
	niger
	sesquipedalis
	sinensis
	subhastatus
	tranquebaricus
	umbellatus
Doronicum	caucasicum
Pardalianches	
	plantagineum
Dorstenia	Contrayerva
Dorycnium	latifolium
Dracaena	reflexa
Dracocephalum	canariense

E

Erucastrum	arabicum
Ervum	tetraspermum
Eryngium	amethystinum
	corniculatum
	dichotomum
	glaucum
	planum
Erysimum	alpinum
Bocconi	
cheiranthoides	
crassipes	
Erythrina	Crista galli
	var. laurifolia
Eucalyptus	diversifolia
	multiflora
	pulverulenta
Eupatorium	altissimum
	cannabinum
Euphorbia	ceratoarpa
	Ten.
	coralloides
Gerardiana	
Lugascea	
myrsinoides	
spinosa	
veneta	
Eurybia	chrysotricha
	Ten. (3)
Eutoca	Wrangeliana
Evonymus	europaeus

P

Fedia	vesicaria
Ferula	Barrelieri
	campestris
	communis
	major
Ferulago	
	major
	geniculata Guss.
	glaucia
	neapolitana Ten.
	nodiflora Jacq.
Festuca	caespitosa
	capillaris
	duriuscula
	elatior
Foenas	
	glaucia
	heterophylla
	ovina
	glauca
pallens	
pratensis	

F

- Festuca pubescens*
ramosa
rubra
sicula
virgata
Fragaria chilensis
indica
vesca
Fraxinus elliptica
mixta
pallida
polyphylla
rostrata Guss.
Fritillaria pyrenaica
Fumaria officinalis
Funkia ovata

G

- Galardia picta*
Galega ochroleuca
officinalis
Galium aristatum
cinerum
bierosolimitanum
Jinifolium
lucidum
porrigens
Gaura biennis
Genista candicans
ovata
Geranium cristatum
ibericum
nemorosum
pratense
sanguineum
Gensera tomentosa
Geum altaicum
coccineum
intermedium
rugosum
urbanum
var. intermedium
Gilia millefoliata
Gladiolus byzantinus
communis
natalensis
plicatus
segetum
Glaucium luteum
Gleditschia brachicarpa
horrida
macrocantha
var. longifol.
triacanthos
var. inerem.
Globularia Alypum
longifolia
vulgaris
Globulea canescens
Gloxinia caulescens
Glycine caribaea
Lamarckii
precatoria
G'yrorrhiza echinata
Glycosmis trifoliata
Gnaphalium ericoides

G

- Gnaphalium foetidum*
maritimum
minimum
pyramidatum
resedifolium Trev.
Stoechas
Gnidia simplex
Goldbachia tetragona
Gomphrena brasiliensis
globosa
Gossypium barbadense
siamense Ten.
vitifolium
Grahamia aromaticia
Grewia oppositifolia
Grindelia pulchella
Gypsophyla altissima
daurica
elegans
glomerata
paniculata
perfoliata
Saxifraga

H

- Helicteres hirsuta*
Isora
Heliopsis laevis
Heliotropium europaeum
indicum
Helleborine longipetala
Ten.
Helleborus Bocconi Ten.
foetidus
Helminthia spinosa
Hemerocallis flava
graminea
Heracleum angustifolium
basicum
dissectum
divaricatum
flavescens
giganteum
gummiferum
Panaces
pubescens
pyrenaicum
Spondylium
sibiricum
subvillosum
Hermannia alnifolia
Hesperis hia
Heteropteris undulata(4)
Hibiscus diversifolius
esculentus
heterophyllus
palustris
pedunculatus
phoeniceus
roseus
speciosus
splendens
syriacus
vesicarius
Helenium autumnale
Helianthemum apenni-
cum
ciliatum
denticulatum
hispidum
intermedium
juniperinum
Levipes
lasiocarpum
mutable
obscurum
penicillatum
pilosum
polifolium
salicifolium
sulfureum
vulgare
Helianthus altissimus
annuus
fl. pl.
asper
laetiflorus
linearis
Maximilianii
missouriensis
scaberrimus
tuberosus

I

- Hyoscyamus pusillus*
Senecionis
Hyoseris arenaria
Hypericum calycinum
ciliatum
hircinum
Kalmianum
Hypochaeris radiata
Hyssopus angustifolius
officinalis

E

- Iasminum azoricum*
gracile
Iberis gibraltarica
neglecta Ten.
semperflorens
Tenoreana
virginica
Ilex Aquifolium var.
curva
balearica
balsamea
Perado
Incarvillea grandiflora
Indigofera cytisoides
divaricata
frutescens
Inula glabra Bess.
montana
Vaillantii
Ipomoea angulata
Iris acuta
biflora
chinensis
graminea
Güldenstaedtii
var.
elongata
halophila
heterophylla
hungarica
Monnierii
notha
Pseudoacorus
sibirica
spathulata
spuria
stenogyna
susiana
Xyphioides
Isatis costata
tinctoria var. micro-
carpa

- Iuncus angustifolius*
effusus
glaucus
Iuniperus macrocarpa
phoenicea
virginiana
Iusticia hyssopifolia
Iva xanthifolia
Ixia polystachya

- Koeleria cristata*
Koelpinia linearis
Koelreuteria paniculata
Krubea leptophylla
Kundmannia pastinacea-
folia

B

- Lachenalia orchidea*
pendula
Lactuca perennis
sagittata
Lagoecia cuminoides
Lamium amplexicaule
flexuosum Ten.
garganicum
maculatum
Lantana aculeata
asperata
Camara
involuta
leucantha
mixta
Radula
trifolia
violacea
Lapeyrouzia grandiflora
Laserpitium Archange-
lica

- pilosum*
Lasiospermum peduncu-
lare

- radiatum*
Lasthenia californica
Lindl.
glabrata
Lathyrus annuus
articulatus
Clymenum
grandiflorus
heterophyllus
latifolius
odoratus
pratensis
sylvestris
Lavandula multifida
Stoechas
Lavatera arborea
cretica
lusitanica
maritima
micans
Olbia
Laurus Borbonia
indica
nobilis
salicifolia
Leontodon alpinus
apenninus Ten.
glaucus
nigrescens
Taraxacum
Leonorus occidentalis
tataricus
Lepechinia spicata
Lepidium Bonannianum
Guss.

L

- Lepidium cordatum*
- latifolium*
- Menziesii*
- micranthum*
- petraeum*
- sativum*
- vesicarium*
- Leptospermum flexuosum*
- pubescens*
- Liatris spicata*
- Ligusticum angustifolium*
- apiifolium*
- athamanthoides*
- austriacum*
- Levisticum*
- Ligustrum vulgare*
- Lilium croceum*
- Linaria genistaefolia*
- glandulifera Ten.* (5)
- stricta*
- triphylla*
- Linum acuminatum*
- alpinum*
- usitatissimum*
- var. *sulmonense**
- Lippia asperifolia*
- purpurea*
- Liriodendron Tulipifera*
- Lobelia bicolor*
- rhizophyta*
- triquetra*
- Lonicera balearica*
- canescens*
- Caprifolium*
- etrusca Sav.*
- nigra*
- Peryclmenum*
- tatarica*
- rubra*
- Xylosteum*
- Lotus angustifolius*
- corniculatus*
- villosus*
- decumbens*
- diffusus*
- fruticosus*
- ornithopodioides*
- rectus*
- uliginosus*
- Ludwigia macrocarpa*
- Lunaria annua*
- Lupinus grandiflorus*
- Thermis*
- Luzula Forsteri*
- maxima*
- Lychnis coronaria*
- viscaria fl. pleno*
- Lycium afrum*
- barbarum*
- europaeum*
- Lycopsis bullata*
- Lygeum Spartum*
- Lysimachia dubia*
- vulgaris*
- Lythrum Salicaria*

M

- Madia quinqueradiata*
- stellata*
- Magnolia grandiflora*
- oxoniensis*
- Malcolmia stenopetala*
- Malope grandiflora*
- trifida*
- Malus acerba*
- baccata*
- microcarpa*
- coronaria*
- Malva americana*
- crispa*
- limensis*
- nicaeensis*
- Scherardiana*
- tenuicalyx Ten.*
- Marrubium africanum*
- apulum Ten.*
- astracanicum*
- candidissimum*
- crispum*
- hispanicum*
- propinquum*
- Pseudo-dictamnus*
- supinum*
- vulgare*
- Martynia proboscidea*
- Matthiola incana*
- rupestris*
- tricuspidata*
- Maurandia semperflorens*
- Medicago arborea*
- caspica*
- falcata*
- laciiniata*
- pentacycla*
- radiata*
- sardoa Mor.*
- Melaleuca armillaris*
- diosmaefolia*
- hypericifolia*
- Melastoma clavata*
- Melampodium humile*
- Melia Azederach*
- sempervirens*
- Melianthus major*
- minor*
- Melica altissima*
- ciliata*
- pyramidalis*
- Melilotus Bonplandii*
- Ten.*
- cretica*
- gracilis*
- hamosa*
- leucantha*
- neapolitana Ten.*
- parviflora*
- rotundifolia Ten.*
- Melissa altissima*
- cordifolia*
- grandiflora*
- officinalis*
- pyrenaica*
- Melittis Melissophyllum*

M

- Mentha candicans*
- citriflora*
- gratissima*
- macrostachya Ten.*
- var. *neglecta**
- piperita*
- rotundifolia*
- sylvestris*
- undulata*
- viridis*
- var. *neapolit.**
- Mesembryanthemum acinaciforme*
- cordifolium*
- crystallinum*
- disciforme*
- emarginatum*
- geniculiflorum*
- glaucum*
- linguiforme*
- persfoliatum*
- pomeridianum*
- spectabile*
- tenuifolium*
- violaceum*
- Mespilus Azarolus fr. albo*
- fr. rubro*
- cordata*
- germanica*
- glandulosa*
- lucida*
- melanocarpa*
- monogyna*
- Oxyacantha*
- nivea*
- parvifolia*
- punctata*
- pyracantha*
- tanacetifolia*
- torminalis*
- Metrosideros angustifolius*
- lanceolatus*
- linearis*
- lophantus coccineus*
- pinifolius*
- rigidus*
- salignus*
- fl. albo*
- fl. carneo*
- speciosus*
- viridis*
- Milium multiflorum*
- Milleria Contrayerva*
- Mirabilis Jalapa*
- Mimosa asperata*
- pudica*
- sensitiva*
- Mirabilis dichotoma*
- Momordica angulata*
- Balsamina*
- Monarda media*
- Moraea chinensis*
- Moscharia pinnatifida*
- Mühlenbergia foliosa*
- Muscari commutatum G.*

M

- Myagrum orientale*
- Myosotis californica Fis.*
- caespitosa var. *macrocalyx**
- Myrica quercifolia*
- Myrrhis Cicutaria*
- Myrtus australis*
- axillaris*
- communis*
- fl. pleno*
- tarentina*
- N**
- Narcissus Jonquilla*
- Nasturtium Comelinæ*
- Nemophila atomaria*
- Nepeta argentea*
- Cataria*
- citriflora*
- menthaeodora*
- crispa*
- graveolens*
- imbricata*
- incana*
- lavandulacea*
- longiflora*
- Nepetella*
- pannonica*
- ucranica*
- violacea*
- Nerium odorum*
- fl. albo*
- Oleander*
- atropurp.*
- Nesaea salicifolia*
- Nicotiana fruticosa*
- gigantea*
- glauca*
- latissima*
- micrantha*
- paniculata*
- rustica*
- Nigella damascena*
- Nolana atriplicifolia*
- Nonea flavescens*
- picta*
- Nuphar luteum*
- O**
- Ocymum Basilicum*
- gratissimum*
- maximum*
- sanctum*
- zeylanicum*
- Oenanthe apiifolia*
- australis*
- chaerophylloides*
- crispa*
- dulcis*
- fistulosa*
- globulosa*
- involucrata*
- Jordanii Ten.*
- megapolitana*
- peucedanifolia*
- Oenanthe pimpinellifolia*
- silaifolia*
- Oenothera capensis*
- gauroides*
- glaucha*
- micrantha*
- mutabilis*
- odorata*
- rhizocarpa*
- Romanzowii*
- rosea*
- salicifolia*
- stricta*
- suaveolens*
- villosa*
- Onobroma coerulea*
- Onobrychis caput galli*
- Ononis Dehnhardtii Ten.*
- hircina*
- minutissima*
- procurrens*
- spinosa*
- Onopordon Acanthium*
- arabicum*
- illyricum*
- virescens*
- Ophiopogon japonicus*
- Ophrys lutea*
- Orchis albida*
- conospea*
- coriophora*
- var.*
- fusca*
- maculata*
- undulatifolia Biv.*
- Origanum glandulosum*
- Majorana*
- Onites*
- smyrneum*
- Orlaya platycarpos*
- Ornithogalum byzantinum Strangways*
- exscapum Ten.*
- fimbriatum*
- garganicum Ten.*
- Gussonii Ten.*
- montanum*
- narbonense*
- nutans*
- pyrenaicum*
- refractum*
- tenuifolium*
- thrysoides*
- Orobis Jordani Ten.*
- niger*
- tenuifolius Roth.*
- variegatus Ten.*
- Osmunda regalis*
- Osteospermum coeruleum*
- Oxalis convexula*

Paeonia paradoxa
peregrina
pubens
Russi Bie.
villosa
Paliurus australis
Pancratium maritimum
Panicum altissimum
aspernum striat.
avenaceum
caespitosum
coloratum
latifolium
zonale Guss.
Papaver commutatum
floribundum
bispidum
ramosissimum Bern.
Rhoeas
fl. plen.
somniferum
fl. plen.
Paratropia umbraculifera
Parietaria erecta
Paronichia bonariensis
Parthenium
integrifolium
Paspalum elegans
Passiflora angustifolia
coerulea
gracilis
Raddiana
suberosa
Pastinaca Opopanax
sativa
Pavonia Cavanillesii
hastata
praemorsa
Peganum Harmala
Pelargonium alchemilloides
amoenum
anceps
atropurpureum
angustum
australe
canariense
coriandrisolum
crispum
Cyrilli Hort.
Gasparrini Hort.
glomeratum
glutinosum
grandidentatum
heterogamum
hepaticaefolium
hirtum
inodorum
inquinans
par. Bentink.
multifidum
quercisolum
radiatum
tabulare
Tenorii Hort.
tetragonum
tomentosum

Pelargonium tortuosum
vitifolium
zonale
fl. albo
malvaefol.
Pennisetum fasciculatum
Periploca graeca
Persea dulcis
Pentstemon campanulata
Digitalis
Petunia nyctagineflora
violacea
Peucedanum officinale
Oreoselinum
Phacelia tanacetifolia
Phalacrodiscus ircutianus F. et M.
Phalangium Liliago
Phalaris angusta Nees.
bulbosa
subulata
Phaseolus abyssinicus
annuus sem. ciner.
Caracalla
citrinus
haematocarpus
humifusus
illyricus
inamoenus fl. ros.
lunatus
multiflorus
fl. rub.
myodes
nanus
oblongus sem. albido
tauricus
Ricciardianus Ten.
romanus
sphaericus atropurp.
aurelianus
umbellatus
vexillatus
viridissimus Ten.
var. major.
var. minor.
vulgaris romanus
niger
setulosus
Zebra
Philadelphus coronarius
inodorus
Phleum alpinum
pratense
stoloniferum
Phlomis cretica
ferruginea Ten.
fruticosa
lanata
microphylla Sieb.
purpurea
salviifolia
tuberosa
Phlox glaberrima
Phylica ericoides
Phyllanthus juglandifolia
Phyllirea latifolia

Pelargonium tortuosum
vitifolium
zonale
fl. albo
malvaefol.
Physalis Alkekengi
edulis
flexuosa
lancifolia
pubescens
tuberosa
Physiospermum angelicaefolium
Picris altissima
strigosa
Pimpinella peregrina
Pinardia Roybouргii
Less.
Pinus altissima H. Paris.
brutia Ten.
halepensis
Hamiltonii H.
R. Casert.
Inops
Laricio
var. Calabra
maritima
mitis
Pinaster
Pinea
rigida
strobos
sylvestris
var. Rigensis
Pisum sativum var. thebaic.
Plantago arenaria
crassifolia
Cynops
hungarica
Hookeriana F. et M.
indica
lanceolata
macrorrhiza
saxatilis
sibirica
stricta
Tabernaemontanae
truncata
undulata
virginica
Wulfenii
Platypterus crocata
Plumbago europaea
zeylanica
Poa aquatica
arundinacea
frondosa
gigantea
maritima
nemoralis
reflexa
persica
sarticola
scariosa
senegalensis
Polemonium lacteum
Pollanikia graveolens
Raf.
Pollichia campestris

Polygala myrtifolia
virgata
Polygonum elegans Ten.
Haemfelii
maritimum
orientale
tinctorium
Portulaca Gilliesii
Potentilla
adscendens
Anserina
arctica Trev.
argentea
arguta
astracanica
austriaca
calabra
canescens
chrysanthia
collina
conferta
dealbata
divaricata
flexuosa
fruticosa
grandiflora
Güntheri
hirta
hungarica
iberica
inclinata
intermedia
iaponica
laciniosa
millegrana
mollissima
multifida
norvegica
obscura
ornithopoda
pedata
pensylvanica
pimpinelloides
reclinata
recta
reptans
rubens
Richardsonii
ruthenica
splendens
strigosa
sulfurea
supina
thuringiaca
Poterium agrimonifolium
garganicum Ten.
glaucescens
hybridum
Sanguisorba
spinosum
 verrucosum
Pothos nudicaulis
Prangos foeniculacea
Primula elatior
veris
Prosopis juliflora
var. ortocarpa

Prunella hyssopifolia
pensylvanica
Prunus alpina
domestica
Lauro-Cerasus
Mahaleb
Psychotria undata
Psidium Cattleyanum
dichotomum
pomiferum
pyriferum
Psoralea bituminosa
var. angustif.
bracteata
frutescens
palaestina
verrucosa
Pterocephalus plumosus
Pterotheca bifida
Punica Granatum
fl. albo
fr. flav.
nana
Pyrethrum carneum
cerathophyllum
cerathophyllum
crithmifolium
foeniculaceum
graminifolium
macrophyllum
maritimum
Parthenium
fl. plen.
pulverulentum
speciosum
tenuifolium
Pyrus Aria
cuneata Guss.

♀

Quercus brutia Ten.
fastigiata
Ilex
constricta
stilbocarpa
suboculta
pedunculata
Thomasii Ten.
Queria canadensis

♂

Ranunculus acris
angulatus
brachycarpus
caucasicus
garganicus Ten.
gramineus
mauritanicus
millefoliatus
muricatus
parviflorus
polyanthemos
spicatus
trachycarpus

Ranunculus umbrosus	
Guss. et Ten. (6)	
velutinus Ten.	
Raphanistrum Gayanum	
rostratum	
Rapistrum orientale	
Rauwolfia canescens	
Reseda crispata Linck.	
fruticulosa	
odorata	
Rhamnus Alternus	
tinctoria	
Rhinanthus crista galli	
Rhus laevigata	
radicans	
Ribes Grossularia	
nigrum	
rubrum	
fr. alb.	
Rivina humilis	
Robinia Pseudoacacia	
viscosa	
Rosa alba	
fl. pleno	
vulgaris	
arborea semiplena	
baikalensis	
Biebersteinii	
bracteata	
canina	
fastigiata	
centifolia	
Celsiana	
corymbosa glabra	
damascena	
Fischeriana	
flexuosa	
frondosa	
gallica	
holosericea	
livescens	
semonvillea	
versicolor	
gorinkensis	
Kamtschattica	
leucantha	
lucida	
microphylla	
mollissima	
moschata	
Noisettiana	
mosquensis	
multiflora	
myriacantha	
ochroleuca	
parvisolia	
pimpinellifolia	
repens	
rubella	
rubiginosa	
semperflorens	
atropurpurea	
Josephinae	
monzana	
neapolit.	
pumila	
Thea lutea	

Rosa sempervirens	
sinica setifera	
spinosissima	
suaveolens	
tomentosa	
villosa	
Rubia peregrina	
Rubus canadensis	
corylifolius	
fruticosus	
lacinatus	
Rubdeckia fulgida ?	
hirta	
Ruellia clandestina	
formosa	
lactea	
strepens	
Rumex Acetosa	
alpinus	
chrysocarpus	
crispus	
divaricatus	
domesticus	
Hydrolapathum	
longifolius	
maximus	
nepalensis	
obtusifolius	
orientalis	
Patientia	
retroflexus	
verticillatus	
Ruscus Hypophyllum	
Ruta bracteosa	
chalepensis	
macrophylla	

Saccharum cylindricum	
Cyr.	
Salix vitellina	
Salsola ericoides	
Salvia austriaca	
Barrelieri	
bicolor	
bracteata	
campestris	
candidissima	
ceratophylloides	
clandestina	
collina	
disermas	
erosa	
foetida	
garganica Ten.	
grandiflora	
hispanica	
Iyrata	
napifolia	
nilotica	
officinalis	
baecifera	
patula	
pomifera	
pratensis	
pseudo coccinea	
rugosa	

Salvia scordioides	
Tenorii Spr.	
verbenaca	
verticillata	
virgata	
Sambucus Ebulus	
laciniatus	
Sanicula europaea	
Santolina Chamaecypa-	
rissus	
incana	
pinnata	
squarrosa	
viridis	
Saponaria cerastoides	
officinalis	
fl. pleno	
grandifl.	
viscosa	
Satureja angustifolia	
capitata	
graeca	
hortensis	
montana	
subspicata	
tenuifolia Ten.	
Thymbra	
Saxifraga decipiens	
granulata	
sarmentosa	
Scabiosa atropurpurea	
fl. albo	
caucasica	
centauroides	
Columnae Ten.	
crenata Cyr.	
cretica	
gramuntia	
leucantha	
micrantha	
pyrenaica	
transylvanica	
Scandix iberica	
persica	
Schinus Molle	
Schoenus mucronatus	
Schubertia disticha	
Scilla autumnalis	
cernua	
Cupani	
hyacinthoides	
nutans	
patula	
peruviana	
fl. albo	
pallida	
verna	
Scirpus Holoschoenus	
Scolymus grandiflorus	
hispanicus	
Scorzonera hirsuta	
hispanica	
laciniata	
stricta	
taurica	
Scrophularia nodosa	
trifoliata	

Scutellaria Columnae	
pallida	
Sedum acre	
album	
altissimum	
collinum	
crenatum	
glaucum	
Hispanicum	
reflexum var. collinum	
rufescens Ten.	
sexangulare	
Selinum apioides	
austriacum	
Carvisolia	
dubium	
Monnierii	
Sempervivum caespito-	
sum	
glutinosum	
Senecio Doria	
elegans fl. plen.	
rapistroides Cand.	
reclinatus	
Seringia Halleri	
Seriola albicans	
Serratula pinnatifida	
Seseli dichotomum	
glaucum	
Hippomarathrum	
leucospermum	
lucanum Barbazita(7)	
varium	
verticillatum	
Sesleria nitida Ten.	
Severinia buxifolia Ten.	
(8)	
Sicyos angulata	
Sida crenatiflora	
cristata	
indica	
mollis	
Sonneratiana	
Syderitis canariensis	
taurica	
Silaus tenuifolius	
Silene alpina	
anglica	
apetala	
armerioides	
catholica	
congesta	
crassifolia	
fimbriata	
gallica	
hispida	
imbricata	
italica	
maritima	
mutica	
noctiflora	
nocturna	
Oliveriana	
Oties	
pendula	
polyphylla	
purpurea	

Silene pygmaea	
rubella	
saxatilis	
Saxifraga	
vespertina	
Silphium erythrocaulon	
persfoliatum	
terebinthinaceum	
Sinapis alba	
arvensis	
pubescens	
Sisou Ammi	
Amomum	
Sisymbrium pumilum	
Sisyrinchium anceps	
bermudianum	
iridifolium	
striatum	
tenuifolium	
Sium Falcaria	
podolicum	
siculum	
Sisarum sylvestre	
Soja japonica	
Solandra nitida	
Solanum auriculatum	
Berterii	
betaceum	
bonariense	
ciliatum	
coccineum	
decurrens	
diphyllum	
Dulcamara	
flavum	
fragrans Ten.	
giganteum	
gracile	
lanceolatum	
Pseudo-capsicum	
radicans	
sodomaeum	
tomentosum	
Solidago arguta	
canadensis	
flexuosa	
gigantea	
patula	
praecox	
procera	
recurvata	
sempervirens	
Virgaurea	
Smyrnium Dioscoridis	
Sonchus oleraceus	
squarrosum	
tenerrimus	
Sophora japonica	
tomentosa	
Sorghum Sibthorpii	
Sparaxis grandiflora	
Spartium Scorpis	
Spermacoce tenuior	
Sphaerostigma hirtum	
Fisch. et M.	
Spiraea Filipendula	
tomentosa	

S

Stachys angustifolia
arabica
cretica
decumbens
germanica
iberica
italica
polystachya
Pourretii
pubescens Ten.
purpurea
salviaefolia Ten.
scordioides
setifera
taurica
Stachytapheta mutabilis
urticaefolia
Stapelia retusa
variegata
Staphylea pinnata
Statice angustifolia
bellidifolia
cordifolia
cumana Ten.
dianthoides
elata
emarginata
globulariaefolia
Gmelini
minuta
oleaefolia
serotina
Smithii Ten.
Stenactis speciosa
Sterculia platanifolia
Stevia pedata
purpurea
semperflorens Ten.
Stipa capillata
gigantea
junccea
Strelitzia Reginae
Strophanthus dichoto-
mus
Stylium adnatum
Styrax officinalis
Succovia balearica
Sutherlandia fruticosa
Symphytum orientale
tauricum
canescens Hort.
Symphoria canescens
racemosa
Synancaria laurifolia Ten.

T

Tabernaemontana amygdalifolia
Taxus baccata
hyberna
Talinum patens
Tanacetum sibiricum
vulgare
Tecoma radicans
Stans
Tephrosia stricta
Tetrapoma barbareafol.
Teucrium Chamaedrys
flavum
heterophyllum
hircanicum
lucidum
Marum
Polium
regium
Thalictrum calabricum
concinnum
contortum
Dodonaei
elatum
flavum
flexuosum
glaucescens
glaucum
intermedium
majus
medium
minus
nutans
nudicalyx
purpureum
rugosum
saxatile
schoticum
sinense
squarrosum
trigynum
Thapsia Asclepium
garganica
Trincia Kitaibelii
nudicalyx Lag.
Thuya articulata
occidentalis
orientalis
pyramidalis Ten.
Thymbra spicata
Thymus bonariensis Ten.
Tilia argentea
europaea
grandidentata
mycophylla
platyphylla

T

Tolpis altissima
ambigua
grandiflora Ten.
quadriaristata
Tordylium maximum
syriacum
Trachelium coeruleum
Tradescantia succulenta
Tragopogon eriospermum Ten.
porrifolium
roseum
Tribulus terrestris
Trichochloa micrantha
Trichonema Bulbocodium
Columnae
ramiflora
Trifolium clypeatum
Cupani
filiforme
ochroleucum
pratense
var. villos.
succinctum
vesiculosum
Trigonella Calliceras
Foenum graecum
monantha
spinosa
torta Sen.
Tripsacum dactylodes
Triticum aristatum
Barrelieri Ten.
ciliatum
cristatum
dasyanthum
durum
intermedium
junceum
pinnatum
rubescens
Spelta
Tritonia crocata
fenestrata
hyalina
lineata
miniata
refracta
squalida
tristis H. Cam.
Triumfetta ovata
semitriloba
tomentosa
Trollius napellifolius

T

Tropaeolum majus
atrosang.
Tulipa Gesneriana
Tussilago alba
Petasites

U

Ulex europaeus
Ulmus chinensis
fastigiata
scabra
Uniola latifolia
Urena lobata

V

Valerianella brachystephana Ten.
Valeriana officinalis
Vallesia dichotoma
Varronia martinicensis
Verbascum australe
austriacum
cuspidatum
densiflorum
elongatum
gnaphalodes
montanum
nemorosum
nigrum
niveum Ten.
holothrysum
orientale
repandum
rubiginosum
rugulosum
speciosum
Thapsus

Verbena chamaedryfolia
litoralis
Verbesina alata
serrata
Verea crenata
Vernonia senegalensis
Veronica arguta
azurea
Buxbaumii Ten.
ciliaris
gentianoides
hybrida
longifolia
maritima
neglecta
oxyphylla

V

Veronica paniculata
pulchella
sibirica
spicata
spuria
Viburnum Lantana
Lentago
Tinus
Vicia amphicarpa
Barbaziae Ten.
Faba juliana minor
hirta
Miechauxii
narbonensis
Nissoliania
serratifolia
tenuissima
tricolor

Vilfa tenacissima
Villemetia eriophora
Viola canina
hirta
lactea
pinnata
tricolor
verticillata
Visnea Mocanera
Vitex Agnus
Vitex incisa
Vitis hederacea
indivisa
Labrusca
Volkameria aculeata

W

Watsonia meriana
Wiedmannia orientalis
Fisch M.

X

Xymenesia encelioides
Xerathemum cylindricum
Xerothes longifolia

Z

Zantedeschia aethiopica
Zea Caragua
cryptosperma
Mays

precox
valentina
sem. minimo
vitreo

Zinnia elegans



APPENDIX.

Abies alba
Acer Negundo
Achyranthes radicans
Aesculus hippocastanum
 macrostachya
 rubicunda
Apocynum cannabinum
Arbutus canariensis
Astragalus aegyptiacus
Berberis chinensis
 sibirica
Bumelia ambigua *Ten.*
 lycioides
 tenax
Catalpa syringaefolia
Celtis occidentalis

Celtis rugosa
Ceratonia siliqua
Cirsium rhizocephalum
Commelina tuberosa
Cupressus thyoides
Cynanchum nigrum
Cyperus strigosus
Dioscorea brasiliensis *Ten.*
Duranta Plumieri
Echium pyramidale
 salmanticum
Fraxinus americana
 excelsa
 mycrophylla
Guizotia oleifera
Hedyotis diffusa

Iuglans nigra
 olivaeformis
Iuniperus Lycia
Lageostremia indica
Mespilus latifolia
Myrtus acris
Origanum dictamnus
Ostrya vulgaris
 virginica
Phlox decussata
Physalis somnifera
Pruous caroliniana
 virginiana
 spinosa flore pl.
Piqueria trinervia
Plantago gorganica

Quercus Dalechampii *Ten.*
Ruellia ovata
 paniculata
Sedum maximum
Telephium
Senecio erraticus
 vulnerariaefolius
Sesamum indicum
Siegesbeckia iberica
Solanum pyracantha
 Thonigianum
Statice Wildenowii
Tetrapoma ellipsoideum
Tilia grandidentata
Verbena bonariensis

ADNOTATIONES.

(1) *Citrus deliciosa* - Arbuscula spinosa ; foliis lanceolatis utrinque attenuatis subdentatis, petiois linearibus ; fructu compresso (2. poll. diametr.) pulpa sapidissima corticea fulvo-aurantiaco. *Ten.*

Obs. A *Citro nobili*, cum quo passim confunditur, differt imprimis planta spinosa, foliis subdentatis, fructu bi non quinquepollicaris diametri, extus intusque minime rubente.

Patria. China ? Floret aprilis, fructus perficit decembri.

(2) *Convolvulus verrucipes* - Caule volubili herbaceo, foliis cordatis acuminatis, inferioribns integerimis, superioribus basi trilobis vel subangulatis repandis ; pedunculis unifloris angulatis verrucosis (8-10 lin. long.) calycinis foliis ovali-oblongis (2. lin. lat. 4. lin. long.) corollis albis calyce vix duplo longioribus ; capsulis hirsutis trilocularibus trispermis. *Ten.*

Floret julio. Annuus.

Patria . . .

Obs. *Convolvulo sibirico* affinis, a quo datis notis abunde diversus deprehenditur.

(3) *Eurybia chrysotrycha*. Fruticosa ; foliis alternis breviter petiolatis ovato-oblongis subdentato-repandis obtusiseulis, supra viridibus scabris, subtus mollissimis, ramulisque junioribus pilis aureis sericeo-tomentosis, pedunculis axillaribus foliis duplo longioribus, monocephalisch. *Ten.*

Patria . . .

(4) *Heteropteris undulata*. Scandens, glaberrima ; foliis oppositis angusto-lanceolatis utrinque attenuatis integerimis undulatis, petiolis brevibus plerumque eglandulosis ; corymbis paucifloris terminalibus ; calycibus glandulosis ; petalis (luteis) undulatis, stylis simplicibus ; carpellis villosis. *Ten.*

Floret julio. Semina ex Bonaria ad nos misit cl. Bonpland, anno 1838.

Obs. Ab omnibus hucusque cognitis speciebus, differt foliis lanceolato-linearibus undulatis.

(5) *Linaria glandulifera*. Annua, villosa-viscosa, pilis glanduliferis undique tecta. Caulibus debilibus, foliis oppositis ovato-subrotundis, inferioribus petiolatis interdum vase dentatis obtusis, superioribus sessilibus integerimis, floribus

axillaribus solitariis subsessilibus, calycinis segmentis ovatis, corollis exiguis, labio superiore atropurpureo, inferiore palatoque flavo, calcare incurvo albo. *Ten.*

Floret junio et julio. Ex Anglia semina misit cl. Fox Strangways absque alia nota.

Obs. Affinis est *Linariae dealbatae* et *L. lanigerae*; sed differt a prima calycinis segmentis ovatis obtusis, nec lanceolatis acutis, foliis multo minoribus minime ovato-lanceolatis, necnon floris colore. A *L. lanigera* discriminatur floribus subsessilibus nec longe pedunculatis.

(6) *Ranunculus umbrosus* ; caule erecto ramoso basi petiolisque patenter molliterque pilosis, foliis radicalibus tripartitis, lobis latis cuneiformibus trifidis, lobulis irregulariter dentatis, pedunculis teretibus ; calycibus adpressis, seminibus levibus stylo uncinato terminatis. *Ten.* et *Guss.* Pl. in itinere ad Vulturium lectae ; in Atti della Reale Accademia delle scienze, tom. 5. (inedito).

Habitat in nemoribus. Boschi di Monte nero e del Vulture. *Perennis.*

(7) *Seseli lucanum* ; caule substriato declinato ; foliis glaucois supradecompositis, compositione primaria pinnati-sectis, caeteris ternatis, laciniis linearis teretiusculis angustissimis longissimis (2-3 pollic.) mucronatis ; involucro polyphylio persistenti, foliolis linearibus discretis, involucellis olygophyllis, fructibus petalique flavis hispidis. *Barbazita. Saggio di Flora Lucana* ; in Atti del Reale Istituto d'Incoraggiamento Tom. VII. (inedito).

Habitat in rupestribus Lucaniae. *Perennis.*

(8) *SEVERINIA*. Calix quinquedentatus, corolla pentapetala, stamina decem pentadynamica, antherae semilunares biloculares, pistillum unicum, stigma simplex. Acinus dispermus. *Ten.*

Classis decandria ; ordo monogynia ; familia *Aurantiae*.

Severinia buxifolia. Arbuscula spinosa ; foliis emarginatis perennantibus, ovali-oblongis subsessilibus integerimis parallele venosis obtusis ; floribus axillaribus fasciculatis vel solitariis.

Citrus buxifolia Hortulanorum.